

Relay base - RIF-1-BPT/2X21



2900931

<https://www.phoenixcontact.com/pc/products/2900931>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Relay base RIF-1..., for miniature power relay with 1 or 2 changeover contacts or solid-state relays of the same design, Push-in connection, plug-in option for input/interference suppression modules, for mounting on NS 35/7,5

Commercial Data

Item number	2900931
Packing unit	10 pc
Minimum order quantity	1 pc
Product Key	CK6522
Catalog Page	Page 288 (C-5-2019)
GTIN	4046356733151
Weight per Piece (including packing)	49.1 g
Weight per Piece (excluding packing)	49.1 g
Customs tariff number	85366990
Country of origin	CN

Relay base - RIF-1-BPT/2X21



2900931

<https://www.phoenixcontact.com/pc/products/2900931>

Technical Data

Notes

Notes on operation	FBS 2-6... plug-in bridge for the input side (A2) and FBS-2-8... plug-in bridge for the output side (11/21)
--------------------	---

Product properties

Product type	Relay socket
Product family	RIFLINE complete

Electrical properties

Nominal voltage U_N	250 V AC/DC
Nominal current I_N	max. 13 A (Depends on application/assembly)
Protective circuit	depending on the selected input/suppressor modules

Connection data

Connection method	Push-in connection
Stripping length	8 mm
Conductor cross section solid	0.14 mm ² ... 1.5 mm ²
Conductor cross section flexible	0.14 mm ² ... 1.5 mm ²
	0.14 mm ² ... 1.5 mm ² (Ferrule with plastic sleeve)
	0.14 mm ² ... 1 mm ² (Ferrule with plastic sleeve, two conductors on double terminal block)
Conductor cross section AWG	26 ... 16 (solid)
	26 ... 16 (flexible)

Dimensions

Width	16 mm
Height	96 mm
Depth Retaining bracket	75 mm (with retaining bracket)

Drill hole

Diameter	3.2 mm
----------	--------

Material specifications

Flammability rating according to UL 94	V2 (Housing)
--	--------------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C (Depends on application/assembly)
Ambient temperature (storage/transport)	-40 °C ... 85 °C

Approval data

Corrosive gas test

Relay base - RIF-1-BPT/2X21



2900931

<https://www.phoenixcontact.com/pc/products/2900931>

Identification	ISA-S71.04. G3 Harsh Group
	EN 60068-2-60

Mounting

Mounting type	DIN rail mounting
Mounting position	any

Relay base - RIF-1-BPT/2X21




2900931

<https://www.phoenixcontact.com/pc/products/2900931>

Approvals

 **CSA**
Approval ID: 76787

 **UL Recognized**
Approval ID: FILE E 113228

 **EAC**
Approval ID: RU D-DE.B*00573/18

 **DNV GL**
Approval ID: TAA000018V

 **DNV GL**
Approval ID: TAA000018V

Relay base - RIF-1-BPT/2X21



2900931

<https://www.phoenixcontact.com/pc/products/2900931>

Classifications

ECLASS

ECLASS-9.0	27371603
ECLASS-10.0.1	27371603
ECLASS-11.0	27371603

ETIM

ETIM 8.0	EC001456
----------	----------

UNSPSC

UNSPSC 21.0	39122300
-------------	----------

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50 years For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"
------------	--

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Accessories

Plug-in bridge

Plug-in bridge - FBS 2-6 - 3030336

<https://www.phoenixcontact.com/pc/products/3030336>



Plug-in bridge, pitch: 6.2 mm, number of positions: 2, color: red

Plug-in bridge

Plug-in bridge - FBS 2-6 BU - 3036932

<https://www.phoenixcontact.com/pc/products/3036932>



Plug-in bridge, pitch: 6.2 mm, number of positions: 2, color: blue

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Plug-in bridge

Plug-in bridge - FBS 2-6 GY - 3032237

<https://www.phoenixcontact.com/pc/products/3032237>



Plug-in bridge, pitch: 6.2 mm, number of positions: 2, color: gray

Plug-in bridge

Plug-in bridge - FBS 2-8 - 3030284

<https://www.phoenixcontact.com/pc/products/3030284>



Plug-in bridge, pitch: 8.2 mm, number of positions: 2, color: red

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Plug-in bridge

Plug-in bridge - FBS 2-8 BU - 3032567

<https://www.phoenixcontact.com/pc/products/3032567>



Plug-in bridge, pitch: 8.2 mm, number of positions: 2, color: blue

Plug-in bridge

Plug-in bridge - FBS 2-8 GY 7042 - 3032541

<https://www.phoenixcontact.com/pc/products/3032541>



Bridge for potential distribution

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Retaining bracket

Retaining bracket - RIF-RH-1 - 2900953

<https://www.phoenixcontact.com/pc/products/2900953>



Relay retaining bracket, with ejector function and holder for marking material, suitable for RIF-1 relay base, for 16 mm tall miniature power relay and solid-state relay

Retaining bracket

Retaining bracket - RIF-RH-1-H - 2904468

<https://www.phoenixcontact.com/pc/products/2904468>



Relay retaining bracket, with ejector function and holder for marking material, suitable for RIF-1 relay base, for 25 mm tall miniature power relay and solid-state relay

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Relay retaining bracket

Relay retaining bracket - RIF-RHM-1 - 2905986

<https://www.phoenixcontact.com/pc/products/2905986>



Relay retaining bracket, wire model, suitable for RIF-1 relay base, for 16 mm high octal miniature power and solid-state relays

Relay retaining bracket

Relay retaining bracket - RIF-RHM-1-H - 2905985

<https://www.phoenixcontact.com/pc/products/2905985>



Relay retaining bracket, wire model, suitable for RIF-1 relay base, for 25 mm high octal miniature power relays

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Plug-in module

Plug-in module - RIF-LDP-12-24 DC - 2900939

<https://www.phoenixcontact.com/pc/products/2900939>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with freewheeling diode and yellow LED, polarity: A1+, A2-, input voltage: 12 V DC ... 24 V DC ± 30 %

Plug-in module

Plug-in module - RIF-LDP-48-60 DC - 2900940

<https://www.phoenixcontact.com/pc/products/2900940>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with freewheeling diode and yellow LED, polarity: A1+, A2-, input voltage: 48 V DC ... 60 V DC ± 20 %

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Plug-in module

Plug-in module - RIF-LDP-110 DC - 2900941

<https://www.phoenixcontact.com/pc/products/2900941>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with freewheeling diode and yellow LED, polarity: A1+, A2-, input voltage: 110 V DC $\pm 20\%$

Plug-in module

Plug-in module - RIF-LV-12-24 UC - 2900942

<https://www.phoenixcontact.com/pc/products/2900942>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with varistor and yellow LED, input voltage: 12 V AC ... 24 V AC / DC $\pm 20\%$

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Plug-in module

Plug-in module - RIF-LV-48-60 UC - 2900943

<https://www.phoenixcontact.com/pc/products/2900943>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with varistor and yellow LED, input voltage: 48 V AC ... 60 V AC / DC \pm 20 %

Plug-in module

Plug-in module - RIF-LV-120-230 AC/110 DC - 2900944

<https://www.phoenixcontact.com/pc/products/2900944>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with varistor and yellow LED, input voltage: 120 V AC... 230 V AC / 110 V DC \pm 20 %

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Plug-in module

Plug-in module - RIF-V-12-24 UC - 2900945

<https://www.phoenixcontact.com/pc/products/2900945>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with varistor, input voltage: 12 V AC ... 24 V AC / DC \pm 20 %

Plug-in module

Plug-in module - RIF-V-48-60 UC - 2900947

<https://www.phoenixcontact.com/pc/products/2900947>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with varistor, input voltage: 48 V AC ... 60 V AC / DC \pm 20 %

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Plug-in module

Plug-in module - RIF-V-120-230 UC - 2900948

<https://www.phoenixcontact.com/pc/products/2900948>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with varistor, input voltage: 120 V AC ... 230 V AC / DC ± 20 %

Plug-in module

Plug-in module - RIF-RC-12-24 UC - 2900949

<https://www.phoenixcontact.com/pc/products/2900949>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with RC element, input voltage: 12 V AC ... 24 V AC / DC ± 20 %

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Plug-in module

Plug-in module - RIF-RC-48-60 UC - 2900950

<https://www.phoenixcontact.com/pc/products/2900950>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with RC element, input voltage: 48 V AC ... 60 V AC / DC $\pm 20\%$

Plug-in module

Plug-in module - RIF-RC-120-230 UC - 2900951

<https://www.phoenixcontact.com/pc/products/2900951>



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with RC element, input voltage: 120 V AC ... 230 V AC / DC $\pm 20\%$

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Timer module

Timer module - RIF-T3-24UC - 2902647

<https://www.phoenixcontact.com/pc/products/2902647>



Plug-in module for extending a relay module to create a timer relay, 3 time functions, 4 time ranges, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, input voltage: 12 V DC ... 24 V DC

Single relay

Single relay - REL-MR- 12DC/21HC - 2961309

<https://www.phoenixcontact.com/pc/products/2961309>



Plug-in miniature power relay, with power contact for high continuous currents, 1 changeover contact, input voltage 12 V DC

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24DC/21HC - 2961312

<https://www.phoenixcontact.com/pc/products/2961312>



Plug-in miniature power relay, with power contact for high continuous currents, 1 changeover contact, input voltage 24 V DC

Single relay

Single relay - REL-MR- 48DC/21HC - 2834821

<https://www.phoenixcontact.com/pc/products/2834821>



Plug-in miniature power relay, with power contact for high continuous currents, 1 changeover contact, input voltage 48 V DC

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 60DC/21HC - 2961325

<https://www.phoenixcontact.com/pc/products/2961325>



Plug-in miniature power relay, with power contact for high continuous currents, 1 changeover contact, 60 V DC

Single relay

Single relay - REL-MR-110DC/21HC - 2961338

<https://www.phoenixcontact.com/pc/products/2961338>



Plug-in miniature power relay, with power contact for high continuous currents, 1 changeover contact, input voltage 110 V DC

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24AC/21HC - 2961406

<https://www.phoenixcontact.com/pc/products/2961406>



Plug-in miniature power relay, with power contact for high continuous currents, 1 changeover contact, input voltage 24 V AC

Single relay

Single relay - REL-MR-120AC/21HC - 2961419

<https://www.phoenixcontact.com/pc/products/2961419>



Plug-in miniature power relay, with power contact for high continuous currents, 1 changeover contact, input voltage 120 V AC

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR-230AC/21HC - 2961422

<https://www.phoenixcontact.com/pc/products/2961422>



Plug-in miniature power relay, with power contact for high continuous currents, 1 changeover contact, input voltage 230 V AC

Single relay

Single relay - REL-MR- 12DC/21HC AU - 2961532

<https://www.phoenixcontact.com/pc/products/2961532>



Plug-in miniature power relay, with multi-layer gold contact for high continuous currents, 1 changeover contact, input voltage 12 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24DC/21HC AU - 2961545

<https://www.phoenixcontact.com/pc/products/2961545>



Plug-in miniature power relay, with multi-layer gold contact for high continuous currents, 1 changeover contact, input voltage 24 V DC

Single relay

Single relay - REL-MR-110DC/21HC AU - 2961561

<https://www.phoenixcontact.com/pc/products/2961561>



Plug-in miniature power relay, with multi-layer gold contact for high continuous currents, 1 changeover contact, input voltage 110 V DC

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24AC/21HC AU - 2961503

<https://www.phoenixcontact.com/pc/products/2961503>



Plug-in miniature power relay, with multi-layer gold contact for high continuous currents, 1 changeover contact, input voltage 24 V AC

Single relay

Single relay - REL-MR-120AC/21HC AU - 2961516

<https://www.phoenixcontact.com/pc/products/2961516>



Plug-in miniature power relay, with multi-layer gold contact for high continuous currents, 1 changeover contact, input voltage 120 V AC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR-230AC/21HC AU - 2961529

<https://www.phoenixcontact.com/pc/products/2961529>



Plug-in miniature power relay, with multi-layer gold contact for high continuous currents, 1 changeover contact, input voltage 230 V AC

Single relay

Single relay - REL-MR- 12DC/21-21 - 2961257

<https://www.phoenixcontact.com/pc/products/2961257>



Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 12 V DC

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24DC/21-21 - 2961192

<https://www.phoenixcontact.com/pc/products/2961192>



Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 24 V DC

Single relay

Single relay - REL-MR- 48DC/21-21 - 2834834

<https://www.phoenixcontact.com/pc/products/2834834>



Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 48 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 60DC/21-21 - 2961273

<https://www.phoenixcontact.com/pc/products/2961273>




Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 60 V DC

Single relay

Single relay - REL-MR-110DC/21-21 - 2961202

<https://www.phoenixcontact.com/pc/products/2961202>



Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 110 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>

Single relay

Single relay - REL-MR- 24AC/21-21 - 2961435

<https://www.phoenixcontact.com/pc/products/2961435>



Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 24 V AC

Single relay

Single relay - REL-MR-120AC/21-21 - 2961448

<https://www.phoenixcontact.com/pc/products/2961448>



Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 120 V AC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR-230AC/21-21 - 2961451

<https://www.phoenixcontact.com/pc/products/2961451>



Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 230 V AC

Single relay

Single relay - REL-MR- 12DC/21-21AU - 2961299

<https://www.phoenixcontact.com/pc/products/2961299>



Plug-in miniature power relay, with multi-layer gold contact, 2 changeover contacts, input voltage 12 V DC

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24DC/21-21AU - 2961215

<https://www.phoenixcontact.com/pc/products/2961215>



Plug-in miniature power relay, with multi-layer gold contact, 2 changeover contacts, input voltage 24 V DC

Single relay

Single relay - REL-MR- 48DC/21-21AU - 2834847

<https://www.phoenixcontact.com/pc/products/2834847>



Plug-in miniature power relay, with multi-layer gold contact, 2 changeover contacts, input voltage 48 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 60DC/21-21AU - 2961286

<https://www.phoenixcontact.com/pc/products/2961286>



Plug-in miniature power relay, with multi-layer gold contact, 2 changeover contacts, input voltage 60 V DC

Single relay

Single relay - REL-MR-110DC/21-21AU - 2961228

<https://www.phoenixcontact.com/pc/products/2961228>



Plug-in miniature power relay, with multi-layer gold contact, 2 changeover contacts, input voltage 110 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24AC/21-21AU - 2961464

<https://www.phoenixcontact.com/pc/products/2961464>



Plug-in miniature power relay, with multi-layer gold contact, 2 changeover contacts, input voltage 24 V AC

Single relay

Single relay - REL-MR-120AC/21-21AU - 2961477

<https://www.phoenixcontact.com/pc/products/2961477>



Plug-in miniature power relay, with multi-layer gold contact, 2 changeover contacts, input voltage 120 V AC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR-230AC/21-21AU - 2961480

<https://www.phoenixcontact.com/pc/products/2961480>



Plug-in miniature power relay, with multi-layer gold contact, 2 changeover contacts, input voltage 230 V AC

Single relay

Single relay - REL-MR- 24DC/21HC/MS - 2987888

<https://www.phoenixcontact.com/pc/products/2987888>



Plug-in miniature relay, with power contact, 1 changeover contact, test button, mechanical switching position indicator, status LED, freewheeling diode, polarity A1+, A2-, input voltage 24 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24AC/21HC/MS - 2987891

<https://www.phoenixcontact.com/pc/products/2987891>



Plug-in miniature relay, with power contact, 1 changeover contact, test button, mechanical switching position indicator, status LED, input voltage 24 V AC

Single relay

Single relay - REL-MR-120AC/21HC/MS - 2987901

<https://www.phoenixcontact.com/pc/products/2987901>



Plug-in miniature relay, with power contact, 1 changeover contact, test button, mechanical switching position indicator, status LED, input voltage 120 V AC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR-230AC/21HC/MS - 2987914

<https://www.phoenixcontact.com/pc/products/2987914>



Plug-in miniature relay, with power contact, 1 changeover contact, test button, mechanical switching position indicator, status LED, input voltage 230 V AC

Single relay

Single relay - REL-MR- 24DC/21HC AU/MS - 2987927

<https://www.phoenixcontact.com/pc/products/2987927>



Plug-in miniature relay, with multi-layer contact with hard gold coating, 1 changeover contact, test button, mechanical switching position indicator, status LED, freewheeling diode, polarity A1+, A2-, input voltage 24 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>

Single relay

Single relay - REL-MR-230AC/21HC AU/MS - 2987930

<https://www.phoenixcontact.com/pc/products/2987930>



Plug-in miniature relay, with multi-layer contact with hard gold coating, 1 changeover contact, test button, mechanical switching position indicator, status LED, input voltage 230 V AC

Single relay

Single relay - REL-MR- 24DC/21-21/MS - 2987943

<https://www.phoenixcontact.com/pc/products/2987943>



Plug-in miniature relay, with power contact, 2 changeover contacts, test button, mechanical switching position indicator, status LED, freewheeling diode, polarity A1+, A2, input voltage 24 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR- 24AC/21-21/MS - 2987956

<https://www.phoenixcontact.com/pc/products/2987956>



Plug-in miniature relay, with power contact, 2 changeover contacts, test button, mechanical switching position indicator, status LED, input voltage 24 V AC

Single relay

Single relay - REL-MR-120AC/21-21/MS - 2987969

<https://www.phoenixcontact.com/pc/products/2987969>



Plug-in miniature relay, with power contact, 2 changeover contacts, test button, mechanical switching position indicator, status LED, coil voltage 120 V AC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR-230AC/21-21/MS - 2987972

<https://www.phoenixcontact.com/pc/products/2987972>



Plug-in miniature relay, with power contact, 2 changeover contacts, test button, mechanical switching position indicator, status LED, coil voltage 230 V AC

Single relay

Single relay - REL-MR- 24DC/21-21AU/MS - 2987985

<https://www.phoenixcontact.com/pc/products/2987985>



Plug-in miniature relay, with multi-layer contact with hard gold coating, 2 changeover contacts, test button, mechanical switching position indicator, status LED, freewheeling diode, polarity A1+, A2-, input voltage 24 V DC

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Single relay

Single relay - REL-MR-230AC/21-21AU/MS - 2987998

<https://www.phoenixcontact.com/pc/products/2987998>



Plug-in miniature relay, with multi-layer contact with hard gold coating, 2 changeover contacts, test button, mechanical switching position indicator, status LED, coil voltage 230 V AC

Miniature solid-state relay

Miniature solid-state relay - OPT- 5DC/ 24DC/ 5 - 2982113

<https://www.phoenixcontact.com/pc/products/2982113>



Plug-in miniature solid-state relay, power solid-state relay, 1 N/O contact, input: 5 V DC, output: 3 - 33 V DC/5 A

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Miniature solid-state relay

Miniature solid-state relay - OPT-24DC/ 24DC/ 5 - 2982100

<https://www.phoenixcontact.com/pc/products/2982100>



Plug-in miniature solid-state relay, power solid-state relay, 1 N/O contact, input: 24 V DC, output: 3 - 33 V DC/5 A

Miniature solid-state relay

Miniature solid-state relay - OPT-60DC/ 24DC/ 5 - 2982126

<https://www.phoenixcontact.com/pc/products/2982126>



Plug-in miniature solid-state relay, power solid-state relay, 1 N/O contact, input: 60 V DC, output: 3 - 33 V DC/5 A

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Miniature solid-state relay

Miniature solid-state relay - OPT- 5DC/230AC/ 2 - 2982168

<https://www.phoenixcontact.com/pc/products/2982168>



Plug-in miniature solid-state relay, power solid-state relay, 1 N/O contact, input: 5 V DC, output: 24 - 253 V AC/2 A

Miniature solid-state relay

Miniature solid-state relay - OPT-24DC/230AC/ 2 - 2982171

<https://www.phoenixcontact.com/pc/products/2982171>



Plug-in miniature solid-state relay, power solid-state relay, 1 N/O contact, input: 24 V DC, output: 24 - 253 V AC/2 A

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>

Marker for terminal blocks

Marker for terminal blocks - UC-TM 16 - 0819217

<https://www.phoenixcontact.com/pc/products/0819217>



Marker for terminal blocks, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 16 mm, lettering field size: 15.45 x 10.5 mm, Number of individual labels: 32

Marker for terminal blocks

Marker for terminal blocks - UC-TMF 16 - 0819262

<https://www.phoenixcontact.com/pc/products/0819262>



Marker for terminal blocks, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 16 mm, lettering field size: 15.45 x 5.1 mm, Number of individual labels: 32

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Marker carriers

Marker carriers - STP 5-2 - 0800967

<https://www.phoenixcontact.com/pc/products/0800967>



Marker carriers, snaps into STTB 2,5, STTB 4, PTTB 2,5, and PTTB 4 double-level spring-cage terminal blocks, can be marked with UC-TM 5, UC-TMF 5, UCT-TM 5, UCT-TMF 5, ZB 5, or ZBF 5, gray, unlabeled, mounting type: plug in, lettering field size: 5 x 10.5 mm

DIN rail perforated

DIN rail perforated - NS 35/ 7,5 PERF 2000MM - 0801733

<https://www.phoenixcontact.com/pc/products/0801733>



DIN rail perforated, acc. to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver, Pack of 25 (50 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



DIN rail, unperforated

DIN rail, unperforated - NS 35/ 7,5 UNPERF 2000MM - 0801681

<https://www.phoenixcontact.com/pc/products/0801681>



DIN rail, unperforated, acc. to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver, Pack of 25 (50 m)

DIN rail perforated

DIN rail perforated - NS 35/ 7,5 WH PERF 2000MM - 1204119

<https://www.phoenixcontact.com/pc/products/1204119>



DIN rail perforated, acc. to EN 60715, material: Steel, Galvanized, white passivated, Standard profile, color: silver, Pack of 25 (50 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



DIN rail, unperforated

DIN rail, unperforated - NS 35/ 7,5 WH UNPERF 2000MM-VPE 10 - 1204122

<https://www.phoenixcontact.com/pc/products/1204122>



DIN rail, unperforated, acc. to EN 60715, material: Steel, Galvanized, white passivated, Standard profile, color: silver, Pack of 10 (20 m)

DIN rail, unperforated

DIN rail, unperforated - NS 35/ 7,5 AL UNPERF 2000MM - 0801704

<https://www.phoenixcontact.com/pc/products/0801704>



DIN rail, unperforated, acc. to EN 60715, material: Aluminum, uncoated, Standard profile, color: silver, Pack of 25 (50 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



DIN rail perforated

DIN rail perforated - NS 35/ 7,5 ZN PERF 2000MM - 1206421

<https://www.phoenixcontact.com/pc/products/1206421>



DIN rail perforated, acc. to EN 60715, material: Steel, galvanized, Standard profile, color: silver, Pack of 25 (50 m)

DIN rail, unperforated

DIN rail, unperforated - NS 35/ 7,5 ZN UNPERF 2000MM - 1206434

<https://www.phoenixcontact.com/pc/products/1206434>



DIN rail, unperforated, acc. to EN 60715, material: Steel, galvanized, Standard profile, color: silver, Pack of 25 (50 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



DIN rail, unperforated

DIN rail, unperforated - NS 35/ 7,5 CU UNPERF 2000MM-VPE 10 - 0801762

<https://www.phoenixcontact.com/pc/products/0801762>



DIN rail, unperforated, acc. to EN 60715, material: Copper, uncoated, Standard profile, color: copper-colored, Pack of 10 (20 m)

End cap

End cap - NS 35/ 7,5 CAP - 1206560

<https://www.phoenixcontact.com/pc/products/1206560>

DIN rail end piece, for DIN rail NS 35/7.5



Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



DIN rail perforated

DIN rail perforated - NS 35/15 PERF 2000MM - 1201730

<https://www.phoenixcontact.com/pc/products/1201730>



DIN rail perforated, similar to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver, Pack of 25 (50 m)

DIN rail, unperforated

DIN rail, unperforated - NS 35/15 UNPERF 2000MM - 1201714

<https://www.phoenixcontact.com/pc/products/1201714>



DIN rail, unperforated, similar to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile, color: silver, Pack of 25 (50 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



DIN rail perforated

DIN rail perforated - NS 35/15 WH PERF 2000MM - 0806602

<https://www.phoenixcontact.com/pc/products/0806602>



DIN rail perforated, similar to EN 60715, material: Steel, Galvanized, white passivated, Standard profile, color: white, Pack of 25 (50 m)

DIN rail, unperforated

DIN rail, unperforated - NS 35/15 WH UNPERF 2000MM-VPE 10 - 1204135

<https://www.phoenixcontact.com/pc/products/1204135>



DIN rail, unperforated, similar to EN 60715, material: Steel, Galvanized, white passivated, Standard profile, color: silver, Pack of 10 (20 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



DIN rail, unperforated

DIN rail, unperforated - NS 35/15 AL UNPERF 2000MM - 1201756

<https://www.phoenixcontact.com/pc/products/1201756>



DIN rail, unperforated, similar to EN 60715, material: Aluminum, uncoated, Standard profile, color: silver

DIN rail perforated

DIN rail perforated - NS 35/15 ZN PERF 2000MM - 1206599

<https://www.phoenixcontact.com/pc/products/1206599>



DIN rail perforated, similar to EN 60715, material: Steel, galvanized, Standard profile, color: silver, Pack of 25 (50 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



DIN rail, unperforated

DIN rail, unperforated - NS 35/15 ZN UNPERF 2000MM - 1206586

<https://www.phoenixcontact.com/pc/products/1206586>



DIN rail, unperforated, similar to EN 60715, material: Steel, galvanized, Standard profile, color: silver, Pack of 25 (50 m)

DIN rail, unperforated

DIN rail, unperforated - NS 35/15 CU UNPERF 2000MM-VPE 10 - 1201895

<https://www.phoenixcontact.com/pc/products/1201895>



DIN rail, unperforated, similar to EN 60715, material: Copper, uncoated, Standard profile, color: copper-colored, Pack of 10 (20 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



End cap

End cap - NS 35/15 CAP - 1206573

<https://www.phoenixcontact.com/pc/products/1206573>

DIN rail end piece, for DIN rail NS 35/15



DIN rail, unperforated

DIN rail, unperforated - NS 35/15-2,3 UNPERF 2000MM-VPE 10 - 1201798

<https://www.phoenixcontact.com/pc/products/1201798>



DIN rail, unperforated, acc. to EN 60715, material: Steel, galvanized, passivated with a thick layer, Standard profile 2.3 mm, color: silver, Pack of 10 (20 m)

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



End clamp

End clamp - CLIPFIX 35 - 3022218

<https://www.phoenixcontact.com/pc/products/3022218>



Quick mounting end clamp for NS 35/7,5 DIN rail or NS 35/15 DIN rail, with marking option, width: 9.5 mm, color: gray

End clamp

End clamp - CLIPFIX 35-5 - 3022276

<https://www.phoenixcontact.com/pc/products/3022276>



Quick mounting end clamp for NS 35/7,5 DIN rail or NS 35/15 DIN rail, with marking option, with parking option for FBS...5, FBS...6, KSS 5, KSS 6, width: 5.15 mm, color: gray

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>




End clamp

End clamp - E/NS 35 N - 0800886

<https://www.phoenixcontact.com/pc/products/0800886>

End clamp, width: 9.5 mm, color: gray



Test plugs

Test plugs - MPS-MT - 0201744

<https://www.phoenixcontact.com/pc/products/0201744>

Test plugs, with solder connection up to 1 mm² conductor cross section, color: gray



Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Insulating sleeve

Insulating sleeve - MPS-IH WH - 0201663

<https://www.phoenixcontact.com/pc/products/0201663>

Insulating sleeve, color: white



Insulating sleeve

Insulating sleeve - MPS-IH RD - 0201676

<https://www.phoenixcontact.com/pc/products/0201676>

Insulating sleeve, color: red



Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>




Insulating sleeve

Insulating sleeve - MPS-IH BU - 0201689

<https://www.phoenixcontact.com/pc/products/0201689>

Insulating sleeve, color: blue



Insulating sleeve

Insulating sleeve - MPS-IH YE - 0201692

<https://www.phoenixcontact.com/pc/products/0201692>

Insulating sleeve, color: yellow



Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Insulating sleeve

Insulating sleeve - MPS-IH GN - 0201702

<https://www.phoenixcontact.com/pc/products/0201702>

Insulating sleeve, color: green



Insulating sleeve

Insulating sleeve - MPS-IH GY - 0201728

<https://www.phoenixcontact.com/pc/products/0201728>

Insulating sleeve, color: gray



Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Insulating sleeve

Insulating sleeve - MPS-IH BK - 0201731

<https://www.phoenixcontact.com/pc/products/0201731>

Insulating sleeve, color: black



Zack marker strip

Zack marker strip - ZB 5 :UNBEDRUCKT - 1050004

<https://www.phoenixcontact.com/pc/products/1050004>



Zack marker strip, Strip, white, unlabeled, can be labeled with: PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.1 x 10.5 mm, Number of individual labels: 10

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Zack marker strip

Zack marker strip - ZB 5 CUS - 0824962

<https://www.phoenixcontact.com/pc/products/0824962>



Zack marker strip, can be ordered: Strip, white, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10

Zack marker strip

Zack marker strip - ZB 5,LGS:FORTL.ZAHLEN - 1050017

<https://www.phoenixcontact.com/pc/products/1050017>



Zack marker strip, Strip, white, labeled, printed horizontally: consecutive numbers 1 ... 10, 11 ... 20, etc. up to 491 ... 500, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Zack marker strip

Zack marker strip - ZB 5,QR:FORTL.ZAHLEN - 1050020

<https://www.phoenixcontact.com/pc/products/1050020>



Zack marker strip, white, Printed vertically: consecutive numbers 1 ... 10, 11 ... 20, etc. up to 491 ... 500, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm

Zack marker strip

Zack marker strip - ZB 5,LGS:GLEICHE ZAHLEN - 1050033

<https://www.phoenixcontact.com/pc/products/1050033>



Zack marker strip, Strip, white, labeled, can be labeled with: CMS-P1-PLOTTER, printed horizontally: Identical numbers 1 or 2, etc. up to 100, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Zack marker strip

Zack marker strip - ZB 5,LGS:L1-N,PE - 1050415

<https://www.phoenixcontact.com/pc/products/1050415>



Zack marker strip, Strip, white, labeled, horizontal: L1, L2, L3, N, PE, L1, L2, L3, N, PE, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10

Marker for terminal blocks

Marker for terminal blocks - UC-TM 5 - 0818108

<https://www.phoenixcontact.com/pc/products/0818108>



Marker for terminal blocks, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 4.6 x 10.5 mm, Number of individual labels: 96

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Marker for terminal blocks

Marker for terminal blocks - UC-TM 5 CUS - 0824581

<https://www.phoenixcontact.com/pc/products/0824581>



Marker for terminal blocks, can be ordered: by sheet, white, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 5.2 mm, lettering field size: 10.5 x 4.6 mm, Number of individual labels: 96

Marker for terminal blocks

Marker for terminal blocks - UCT-TM 5 - 0828734

<https://www.phoenixcontact.com/pc/products/0828734>



Marker for terminal blocks, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 4.6 x 10.5 mm, Number of individual labels: 72

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Marker for terminal blocks

Marker for terminal blocks - UCT-TM 5 CUS - 0829595

<https://www.phoenixcontact.com/pc/products/0829595>



Marker for terminal blocks, can be ordered: by sheet, white, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 5.2 mm, lettering field size: 4.6 x 10.5 mm, Number of individual labels: 72

Group marker label for terminal marking

Group marker label for terminal marking - GBS 5-25X12 - 0810588

<https://www.phoenixcontact.com/pc/products/0810588>



Group marker label, snaps onto terminal center for screw, spring-cage and quick connection terminal blocks, labeled with a 25 x 12 mm label or manually with the B-STIFT, in the foot part with ZB 5

Relay base - RIF-1-BPT/2X21

2900931

<https://www.phoenixcontact.com/pc/products/2900931>



Group marker label for terminal marking

Group marker label for terminal marking - GBS 5-25X5 - 0829126

<https://www.phoenixcontact.com/pc/products/0829126>



Group marking label, can be snapped into terminal center for screw, spring-cage, push-in, and fast connection terminal blocks, can be labeled with a 24 x 4 mm label or manually using B-STIFT, in the foot part with ZB 5

Marker carriers

Marker carriers - STP 5-2-ZB - 3037643

<https://www.phoenixcontact.com/pc/products/3037643>



Marker carriers, snaps into ST 2,5 spring-cage terminal blocks, can be marked with UC-TM 5, UC-TMF 5, UCT-TM 5, UCT-TMF 5, ZB 5, or ZBF 5, gray, unlabeled, mounting type: plug in

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Zack marker strip

Zack marker strip - ZB 15:UNBEDRUCKT - 0811972

<https://www.phoenixcontact.com/pc/products/0811972>




Zack marker strip, Strip, white, unlabeled, can be labeled with: PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 15.2 mm, lettering field size: 10.5 x 15.1 mm, Number of individual labels: 5

Zack marker strip

Zack marker strip - ZB 15 CUS - 0824945

<https://www.phoenixcontact.com/pc/products/0824945>



Zack marker strip, can be ordered: Strip, white, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 15.2 mm, lettering field size: 10.5 x 15.1 mm, Number of individual labels: 5

Relay base - RIF-1-BPT/2X21

2900931


<https://www.phoenixcontact.com/pc/products/2900931>



Zack marker strip

Zack marker strip - ZB 15,LGS:L1-N,PE - 0811998

<https://www.phoenixcontact.com/pc/products/0811998>



Zack marker strip, Strip, white, labeled, printed horizontally: L1, L2, L3, N, PE, mounting type: snapped, for terminal block width: 15.2 mm, lettering field size: 10.5 x 15.1 mm, Number of individual labels: 5

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

info@phoenixcontact.com