

https://www.phoenixcontact.com/pc/products/3213030



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Plug-in bridge, pitch: 3.5 mm, number of positions: 4, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial Data

Item number	3213030
Packing unit	50 pc
Minimum order quantity	50 pc
Product Key	BE2Z2X
Catalog Page	Page 38 (C-1-2019)
GTIN	4046356554299
Weight per Piece (including packing)	1.433 g
Weight per Piece (excluding packing)	0.8 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/pc/products/3213030



Technical Data

Product properties

Product type	Jumper
Number of positions	4
Pitch	3.5 mm

Electrical properties

Maximum load current	17.5 A (The current values for the jumpers can deviate when
	used in different modular terminal blocks. The precise values can
	be found in the accessories data for the respective modular
	terminal blocks.)

Connection data

Maximum load current	17.5 A (The current values for the jumpers can deviate when
	used in different modular terminal blocks. The precise values can
	be found in the accessories data for the respective modular
	terminal blocks.)

Dimensions

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type	Plug-in mounting


3213030

https://www.phoenixcontact.com/pc/products/3213030



Drawings

Schematic diagram



Please note a reduction of the nominal voltage if the FBS bridges are configured by breaking out contact tabs or cutting to a specific length



https://www.phoenixcontact.com/pc/products/3213030



Classifications

ECLASS

ECLASS-9.0	27141140
ECLASS-10.0.1	27141140
ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 8.0	EC000489
ETIM 6.0	EC000469

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

3213030

https://www.phoenixcontact.com/pc/products/3213030



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

3213030

https://www.phoenixcontact.com/pc/products/3213030



Accessories

Front cutter

Front cutter - CUTFOX-FBS - 1212124 https://www.phoenixcontact.com/pc/products/1212124



Cutting tool, for separating individual jumper bars from FBS ... plug-in bridges and EB ... insertion bridges

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com